





A simple line drawing of a computer monitor. The monitor has a rectangular screen with a thin bezel. Below the screen, there is a small, flat base. On the bottom edge of the bezel, there are several small, square icons or buttons. The drawing is done in a clean, minimalist style with black outlines and a light gray fill for the screen.



* □□□
□□□□□□



- ① MENU
 ② ▼ MODE
 ③ ◀ ▶
 ④ /
 ⑤
 ⑥
 ⑦ RGB RGB
 ⑧
 *
 104-0032 1-5-2
 Tel 03-3537-1070 Fax 03-3537-1071 URL <http://www.poladigital.co.jp>
 ⑨
 *




■□□□□□□□□□□□□□□□

!□□□

※□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□

□□□□□□□□□□




1.□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□



2.□□□□□□□□□□


□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□



□□□□□□□□□□□□ (□□□)


1.□□□□□□□□□□□□□□□□□□□□□□
2.□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□



! □ □ □

- * □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
□ □ □ □ □ □ □ □ □
- * □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
□ □ □ □

□ □ □ □ □ □ □ □ □




? Memo

- [illegible]


□ □ □ □ □

□ □



□ □ □ □ □ □

1. □ □ □ □ □ □ □ □ □ □
2. □ □ □ □ □ □ □ □ □ □
□ □



? Memo

- [illegible]

□□□□ ColorSync □□□□□□ □□□□ (MacOS)

ColorSync □□□□□□□ ...

ColorSync □□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□ ColorSync □□
□□□□□□□□□□□□□□□□□□□□□□□□
□□□□

※□□□ ColorSync □□□□□□□□ MacOS8.5 □
□□□□□□□□□□

※ ColorSync □□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□

■ ColorSync □□□□□□□□□

※□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□

※□□□□□□□□□□□ OS □□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□

1. □□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□
2. □□□□□□□□□□□□ Mac □□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□
ColorSync □□□□□□□□□□□□□□□□□□□□
3. □□□□□□□□□□ ColorSync □□□□□□□□□
□□□□□□□□□□



□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

□ □ □ □ □ □ □ □ □ □ □ □ □

□ □

[illegible]

□ □ □ □ □ □

✱ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □



□ □

□ □ □ □ □



□ □ □ □ □ □ □ □ □ □



□ □ □ □ □ □ □

□□□□□□□□

□□□□□□□□□□□□□□□□□□□□
□□□□□

1. □□□□□□□□□□□□□□□□□□□□
Windows □□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□ (14 □□□)

2. MENU □□□□□□□□
□□□□□□□□□□□□□□□□□□□□




□□□□□□□□□□□□□□□□□□□□
MENU □□□□□□□□□□□□□□□□□□□□
□□□□□ □□□□□ → □□□□□ → □□□□□ → □□□□□
□□ → □□□□□□□□□)

? Memo


- * □□□□□□□□□□□□□□□□□□□□ 30 □□
□□□□□□□□□□
- * □□□□□□□□□□□□ (Windows □) □□□□
□□□□□□□□□□□□□□□□□□□□

□□□□□□□□




□□□□ □□□□□□□□□□□□□□□□□□
□□□□ □□□□□□□□□□□□□□□□□□
* ▶ □□□□□□□□ □□□□□□□□□□□□□□□□
* □□□□□ □ ▼ □ MODE □□□□
* □□□□□□□□□□ MENU □□□□


□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□ (◀ ▶ □□□)




□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□ (◀ ▶ □□□)
* □□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□



□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□ (□□□□) □□□□ (□□□□) □□□□□□□□□□□□
(◀ ▶ □□□)





*▶ □□□□□□□□□□□□□□□□
 *□□□□□ ▼ MODE□□□□
 *□□□□□□□□ MENU□□□□


* □ □ □ □ □ □ □ □ □ □ □ □ □

[illegible]

* □
□
□
□ □ □ □

[illegible]

* □
□
□
□ □

[illegible][illegible][illegible]

※ sRGB

[illegible][illegible][illegible]

*□□□□□□□ MENU □□□

1 2 15 16

• 15 16

1 2 3

• 15 16

1 2 15

1 2 3 4 5

The diagram illustrates the four cases of the merge sort algorithm using a sequence of boxes representing elements and arrows representing the process:

- Base Case:** A sequence of 8 boxes is shown. An arrow points from the 4th box to the 5th box, indicating a comparison or swap.
- Merge Step:** A sequence of 8 boxes is shown. An arrow points from the 4th box to the 5th box, indicating a comparison or swap.
- Recursion Step:** A sequence of 8 boxes is shown. An arrow points from the 4th box to the 5th box, indicating a comparison or swap.
- Recursion Step:** A sequence of 8 boxes is shown. An arrow points from the 4th box to the 5th box, indicating a comparison or swap.

□□□□□□□□



※□□□□□□□□□□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□□□□□□□□□
 ※□□□□□□ ▼ MODE □□□
 ※□□□□ □ MENU □□□

OSD□□□□□□
 □□□□□□□□□□□□□□□□□□□□□□□□
 (◀▶□□□)

OSD□□□□□□
 □□□□□□□□□□□□□□□□□□□□□□□□
 (◀▶□□□)

□□□□□□□□
 □□□□□□□□□□□□□□□□□□□□□□□□
 □□□□□□□◀▶□□□□
 ※ 1024 × 768 □□□□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□□□□□□□
 □□□□ (□□□) □□□□□□□□□□□□□□□□

□□□□
 □□□□□□□□□□□□□□◀▶□□□□
 260K□□ 26□□
 16M □□ 1619□□

OSD□□□□
 □□□□□□□□□□□□□□□□□□□□□□□□
 1▶□□□□□□□□
 □□□□□□□□□□□□□□□□□□□□□□
 2▼ MODE□□□□□□□□□□□□□□□□□□
 3 MENU□□□□□□□□
 □□□□□□□□□□□□□□□□□□□□□□



--	--	--	--	--	--	--	--

[illegible]

☒ ☐ ☐ ☐ ☐ ☐ ☐

! 000




? Memo

--	--	--	--	--	--	--

! □ □ □

15" (38cm) TFT
 XGA 1024 × 768
 1619 (6 + FRC)
 0.297mm × 0.297mm
 260cd/m²
 350/1
 160° 150° ≥ 50
 304.1mm × 228.1mm
 RGB(0.7Vp-p 75 Ω)
 / (TTL /)
 (TTL /)
 VGA/SVGA XGA
 ()
 * 1 1 ()
 ()
 VESA DDC1/DDC2B
 VESA DPMS
 15 D-sub 3
 0 25° 0 5°
 AC100V 50/60Hz
 5 35°C
 33W(2W)
 338mm × 145mm × 313mm
 3.8kg 3.2kg
 ()

(mm)



1.8m
 1.8m



□□□□□		□□□□□	□□□□□	□□□□□	
VESA (IBM AT □□□) (PC-9800 □□□□)	640×480	31.5kHz	60Hz	25.175MHz	
		37.9kHz	72Hz	31.5MHz	
		37.5kHz	75Hz	31.5MHz	
	800×600	35.1kHz	56Hz	36.0MHz	
		37.9kHz	60Hz	40.0MHz	
		48.1kHz	72Hz	50.0MHz	
		46.9kHz	75Hz	49.5MHz	
	1024×768	48.4kHz	60Hz	65.0MHz	
		56.5kHz	70Hz	75.0MHz	
		60.0kHz	75Hz	78.75MHz	
	PC-9800 □□□□	640×400	24.8kHz	56.4Hz	21.053MHz
			31.5kHz	70Hz	25.175MHz
US TEXT	720×400	31.5kHz	70Hz	28.3MHz	
Power Macintosh □□□□	640×480	35.0kHz	66.7Hz	30.2MHz	
	832×624	49.7kHz	74.6Hz	57.3MHz	
	1024×768	60.2kHz	75Hz	80.0MHz	


```

0 0 0 0 0 0 0 1024 x 768 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 Power Macintosh 0 0 0 0 0 0 0 0 0 0 0
  Power Macintosh 0 0 0 0 0 0 0 0 0 0 0
    Macintosh 0 0 0 0 0 0 0 0 0 0 0 0 0
      0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
    0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
      0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
        0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 ( 0 0 0 ) 0 0 0 0 0 0 0 0 0 0 0
  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 640 x 400 0 0 0 0 0 0 0 0
  0 0 0 0 0 720 x 400 0 0 0 0 0 0 0 0 0 0
    0 0 0

```



□ □ □ D-sub15 □ □ □



Pin	Signal	Pin	Signal
1	VCC	9	5V
2	VCC	10	GND
3	VCC	11	N.C.
4	GND	12	DDC
5	GND	13	VCC
6	VCC	14	VCC
7	VCC	15	DDC
8	VCC		



□ □ □ □ VESA □ DPMS(※ 1) □ Energy Star(※ 2)
 □ □ □ □ □ □ □ □
 □
 □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ VESA □ DPMS
 □

* 1 DPMS □ Display Power Management Signaling

DPMS□□□	□□	□□□□	□□ □□	□□ □□
ON STATE	□□	33W	□□	□□
STANDBY	□□□	2W	□□	□□
SUSPEND			□□	□□
OFF STATE			□□	□□

※ 2 Energy Star

[illegible]

■ DDC(□ □ □ □ □ □ □)

```


00 00 00 VESA 00 DDC(Display Data Channel)
00 00 00 00 00 00 00 00
DDC 00 00 00 00 00 00 00 00 00 00 00 00 00 00
00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
00 00 00 00 00 DDC 00 00 00 00 00 00 00 00 00
00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
00 00 00
DDC 00 00 00 00 00 00 00 00 00 00 00 00 00 00
00 00 00 00 00 00 DDC1 00 DDC2B 00 00 00 00
00 00

```

VESA


VESA
 ※
 VESA
 75 × 75mm

- 1.
- 2.
- 3.
- 4.





※

- 5.




- 6.



- 7.

? Memo

- ①
- ②
- ③



- ※
- ※
- ④ 6.

□ □ □ □ □ □ □ □	□ □ □ □ □ □	TEL 043-299-8021	FAX 043-299-8280
	□ □ □ □ □ □	TEL 06-6794-8021	FAX 06-6792-5993
□ □ □ □ □ □ □ □ □ □ □ □ □ □ 9 □ □ □ □ □ 6 □ □ □ □ □ □ □ □ 10 □ □ □ □ □ 5 □ (□ □ □ □ □ □ □)			

20

<http://www.sharp.co.jp/lcdmonitor/>

：//ヤ-7。株式会社

Printed in Taiwan
P/N : 0NIT15G3-0002 ②
1925-1300-4311